





CRIBHEADS is a multifunction machine, for the maintenance and prewash of INKJET heads


MAIN FEATURES

- Compatible with the main manufacturers of INKJET industrial heads: SEIKO, XAAR, DIMATIX, TOSHIBA, KONICA MINOLTA, RICOH, KYOCERA, DURST and others.
- Different head brands and models can be mixed within CRIBHEADS.
- It is possible to work with up to two different cleaning fluids at the same time.
- 3 standard programs are available and up to 8 user-created work modes can also be configured.
- Extremely quick and easy cleaning fluid change.
- Ready to connect forced ventilation, if your cleaning fluid requires it.
- WITHOUT MAINTENANCE.
- AUTO INSTALLABLE by the user, with manual in 3D video format.
- Graphical and intuitive interface that eliminates the language barrier.









CRIBHEADS single device, multiple tasks

TECHNICAL SPECIFICATIONS											
Model	Voltage	Power	Weight	Hight	Width	Lenght	Ready for air extraction	Trays	Compressed air		
CRIBHEADS	230V AC 50-60 Hertz	2.1 Kilowatt 9.6A	125 Kilograms 275.6 lb.	852 milimeters 33.54"	880 milimeters 34.64"	830 milimeters 32.67"	YES	2	NO		



CRIBHEADS takes care of your heads delicately and safely, while ensuring they are always ready for use at any time, when they are needed.








People & Technology

Alfred Nobel, 4 12200 Onda (Castellón-SPAIN) info@personasytecnologia.com www.personasytecnologia.com +34 964 77 21 36







CRIBHEADS single device, multiple tasks

TECHNICAL SPECIFICATIONS											
Model	Voltage	Power	Weight	Hight	Width	Lenght	Ready for air extraction	Trays	Compressed air		
CRIBHEADS	230V AC 50-60 Hertz	2.1 Kilowatt 9.6A	125 Kilograms 275.6 lb.	856 milimeters 33.54"	856 milimeters 34.64"	906 milimeters 32.67"	YES	2	NO		



CRIBHEADS takes care of your heads delicately and safely, while ensuring they are always ready for use at any time, when they are needed.









People & Technology

Alfred Nobel, 4 12200 Onda (Castellón–SPAIN) info@personasytecnologia.com www.personasytecnologia.com +34 964 77 21 36